1 3.8 HAZARDS/HAZARDOUS MATERIALS/HUMAN HEALTH AND SAFETY

HAZARDS/HAZARDOUS MATERIALS/ HUMAN HEALTH AND SAFETY – Would the Project:	Potentially Significant Impact	Less Than Significant with Mitigation	Less Than Significant Impact	No Impact
a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?		\boxtimes		
b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?		\boxtimes		
c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?				
d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?				
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area?				
f) For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing or working in the project area?				
g) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?				\boxtimes
h) Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?				

2 **3.8.1 Environmental Setting**

- 3 The Project area is located within the Park, which is outside of the Pacific Gas and
- 4 Electric Comprehensive Environmental Response and Compensation Liability Act
- 5 (CERCLA) Area of Potential Effect (APE). The CERCLA preliminary investigation for
- 6 groundwater and soil did not discover any contamination within the Project area
- 7 (CH2MHILL 2009). Thus, there are no known hazardous materials or contaminants on
- 8 the Project area.

3.8.2 Regulatory Setting

1

The following Federal and State laws and regulations pertaining to this issue area and relevant to the Project are identified in Table 3.8-1.

Table 3.8-1. Laws, Regulations, and Policies (Hazards/Hazardous Materials/Human Health and Safety)

U.S.	Clean Water	The CWA is comprehensive legislation (it generally includes reference to the
	Act (CWA) (33	Federal Water Pollution Control Act of 1972, its supplementation by the CWA of
	USC 1251 et	1977, and amendments in 1981, 1987, and 1993) that seeks to protect the
	seq.)	nation's water from pollution by setting water quality standards for surface water
	. ,	and by limiting the discharge of effluents into waters of the U.S. (see below and
		in Section 3.9, Hydrology and Water Quality).
U.S.	Federal Clean	The FCAA requires the U.S. EPA to identify National Ambient Air Quality
	Air Act	Standards (NAAQS) to protect public health and welfare. National standards are
	(FCAA) (42	established for ozone (O3), carbon monoxide (CO), nitrogen dioxide (NO2),
	USC 7401 et	sulfur dioxide (SO2), particulate matter (PM10 and PM2.5), and lead (Pb). In
	seq.)	2007, the U.S. Supreme Court ruled that carbon dioxide (CO2) is an air pollutant
		as defined under the FCAA, and that the USEPA has authority to regulate
		greenhouse gas (GHG) emissions. Pursuant to the 1990 FCAA Amendments,
		USEPA classifies air basins (or portions thereof) as in "attainment" or
		"nonattainment" for each criteria air pollutant, based on whether or not the
		NAAQS are achieved. The classification is determined by comparing monitoring
		data with State and Federal standards.
		An area is alocalitied as in "attainment" for a rall stant if the mall stant
		 An area is classified as in "attainment" for a pollutant if the pollutant concentration is lower than the standard.
		 An area is classified as in "nonattainment" for a pollutant if the pollutant concentration exceeds the standard.
		 An area is designated the standard attainment for a pollutant if the
		pollutant data available for comparisons.
		politicalit data available for compansons.
		(see above and in Section 3.3, Air Quality and Section 3.7, Greenhouse
		Gas(GHG) Emissions).
U.S.	California	In 2000, the USEPA promulgated numeric water quality criteria for priority toxic
	Toxics Rule	pollutants and other water quality standards provisions to be applied to waters in
	(40 CFR 131)	the State of California. USEPA promulgated this rule based on the
		Administrator's determination that the numeric criteria are necessary in the State
		of California to protect human health and the environment. Under CWA section
		303(c)(2)(B), the USEPA requires states to adopt numeric water quality criteria
		for priority toxic pollutants for which the USEPA has issued criteria guidance, and the presence or discharge of which could reasonably be expected to
		interfere with maintaining designated uses. These Federal criteria are legally
		applicable in California for inland surface waters, enclosed bays, and estuaries.
U.S.	National Oil	Authorized under the Comprehensive Environmental Response, Compensation,
	and	and Liability Act of 1980 (CERCLA), 42 USC 9605, as amended by the
	Hazardous	Superfund Amendments and Reauthorization Act of 1986 (SARA), Pub. L. 99
	Substances	through 499; and by CWA section 311(d), as amended by the Oil Pollution Act of
	Pollution	1990 (OPA), Pub. L. 101 through 380. The NCP outlines requirements for
	Contingency	responding to both oil spills and releases of hazardous substances. It specifies
	Plan (NCP)	compliance, but does not require the preparation of a written plan. It also
	(40 CFR 300)	provides a comprehensive system for reporting, spill containment, and cleanup.
	,	The United States Coast Guard (USCG) and USEPA co-chair the National

Table 3.8-1. Laws, Regulations, and Policies (Hazards/Hazardous Materials/Human Health and Safety)

		Response Team. In accordance with 40 CFR 300.175, the USCG has responsibility for oversight of regional response for oil spills in "coastal zones," as described in 40 CFR 300.120.
U.S.	Oil Pollution Act (OPA) (33 USC 2712)	The OPA requires owners and operators of facilities that could cause substantial harm to the environment to prepare and submit plans for responding to worst-case discharges of oil and hazardous substances. The passage of the OPA motivated California to pass a more stringent spill response and recovery regulation and the creation of the Office of Spill Prevention and Response (OSPR) to review and regulate oil spill plans and contracts.
U.S.	Resource Conservation and Recovery Act (RCRA) (42 USC 6901 et seq.)	The RCRA authorizes the USEPA to control hazardous waste from "cradle-to-grave," which encompasses its generation, transportation, treatment, storage, and disposal. RCRA's Federal Hazardous and Solid Waste Amendments from 1984 include waste minimization and phasing out land disposal of hazardous waste as well as corrective action for releases. The Department of Toxic Substances Control is the lead State agency for corrective action associated with RCRA facility investigations and remediation.
U.S.	Toxic Substances Control Act (TSCA) (15 USC 2601– 2692)	The TSCA authorizes the USEPA to require reporting, record-keeping, testing requirements, and restrictions related to chemical substances and/or mixtures. It also addresses production, importation, use, and disposal of specific chemicals, such as polychlorinated biphenyls (PCBs), asbestos-containing materials, lead-based paint, and petroleum.
U.S.	Other	Navigation and Navigable Waters regulations (33 CFR) include requirements pertaining to prevention and control of releases of materials (including oil spills) from vessels, traffic control, and restricted areas, and general ports and waterways safety.
CA	Lempert- Keene- Seastrand Oil Spill Prevention and Response Act (Gov. Code, § 8574.1 et seq.; Pub. Resources Code, § 8750 et seq.)	This Act and its implementing regulations seek to protect State waters from oil pollution and to plan for the effective and immediate response, removal, abatement, and cleanup in the event of an oil spill. The Act requires vessel and marine facilities to have marine oil spill contingency plans and to demonstrate financial responsibility, and requires immediate cleanup of spills, following the approved contingency plans, and fully mitigating impacts on wildlife. The Act assigns primary authority to the Office of Spill Prevention and Response (OSPR) division within the CDFW to direct prevention, removal, abatement, response, containment, and cleanup efforts with regard to all aspects of any oil spill in the marine waters of the State. The CSLC assists OSPR with spill investigations and response.
CA	Other	 California Clean Coast Act (SB 771) establishes limitations for shipboard incinerators, and the discharge of hazardous material—including oily bilgewater, graywater, and sewage—into State waters or a marine sanctuary. It also provides direction for submitting information on visiting vessels to the CSLC and reporting of discharges to the State water quality agencies. California Harbors and Navigation Code specifies a State policy to "promote safety for persons and property in and connected with the use and equipment of vessels," and includes laws concerning marine navigation that are implemented by local city and county governments. This Code also regulates discharges from vessels within territorial waters of the State of California to prevent adverse impacts on the marine environment. This Code regulates oil discharges and imposes civil penalties and liability for cleanup costs when oil

Table 3.8-1. Laws, Regulations, and Policies (Hazards/Hazardous Materials/Human Health and Safety)

- is intentionally or negligently discharged to the State waters.
 California Seismic Hazards Mapping Act (Pub. Resources Code, § 2690) and Seismic Hazards Mapping Regulations (Cal. Code Regs., tit. 14, Div. 2, Ch. 8, Art. 10) (See Section 3.6, Geology and Soils).
 Hazardous Waste Control Act (Cal. Code Regs., tit. 26) defines requirements for proper management of hazardous materials.
 Porter-Cologne Water Quality Control Act (Cal. Water Code, § 13000 et seq.) (See Section 3.9, Hydrology and Water Quality).
 California Code of Regulations Title 22, Division 4.5 regulates hazardous wastes and materials by the implementation of a Unified Program to ensure consistency throughout the state in administration requirements, permits, inspections, and enforcement through a Certified Unified Program Agency
- The following local goals and policies related to hazardous materials are from the San
 Bernardino County 2007 General Plan:

(CUPA).

- Chapter IV Circulation and Infrastructure Element Section D.2.Goal CI 11. Water, Wastewater, and Stormwater. To ensure safe, reliable, and high quality water supply for all residents and ensure prevention of surface and ground water pollution by:
 - CI 11.1. Apply Federal and State water quality standards for surface and groundwater and wastewater discharge requirements in the review of development proposals that relate to type, location, and size of the proposed project to safeguard public health.
 - Cl 11.2. Support the safe management of hazardous materials to avoid the pollution of both surface and groundwaters. Prohibit hazardous waste disposal facilities within any area known to be or suspected of supplying principal recharge to a regional aquifer.
 - CI 11.3. Support the development of groundwater quality management plans with emphasis on protection of the quality of underground waters from non-point pollution sources.
- Certified Unified Program Agency (CUPA) (SBC Fire 2015): To ensure the implementation of the applicable programs required under the CUPA to "minimize the potential risk to human health and the environment and establish an atmosphere to promote fair business practices." Below lists the applicable programs to the Project:
 - Hazardous Materials Release Response Plans and Inventory
 - California Accidental Release Prevention Program

3

4

5

6

7

8

9

10

11

12

13

14

15

16 17

18

19

20

21

22

23

3.8.3 Impact Analysis (CEQA)

- a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?
 - Less than Significant with Mitigation. The Project would not pose a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials because the implementation of the Project would not be considered a "hazardous waste generator" as defined by the USEPA. A hazardous waste generator would routinely transport, use, or dispose of hazardous materials.
 - Although no known hazardous material or contaminants are present and the Project area is outside of any identified CERCLA APE, if previously unknown hazardous materials or contaminants were discovered during Project implementation, the impact would be potentially significant without mitigation. As a result, **MM HHM-1** would be incorporated into the Project to provide assurance that impacts resulting from discovery of previously unknown hazards would remain less than significant.
 - **MM HHM-1: Discovered Contaminants Protections**. Should contaminants be identified, activity on the site shall cease and a qualified Reclamation Hazardous Materials Specialist for the Project shall be retained to conduct the following:
 - Obtain samples of the suspected contaminants
 - Require lab analysis and access findings to identify specific contaminants
 - Ensure appropriate remediation is conducted and completed in accordance to the regulations specific to the contaminants identified.
- b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?
 - Less than Significant with Mitigation.
 - The Project, once constructed, would operate in the same manner as under current conditions as an open area and there would be no increase in the transport, use, or disposal of hazards materials to the public or environment. During all Project phases (Phases 1 through 4), there would be the use of heavy equipment to construct the Project requiring the use of fuel (diesel and gasoline). These fluids could leak from construction vehicles or be inadvertently released in the event of an accident, potentially releasing petroleum compounds and metals. Unless properly managed, such releases could result in adverse health effects or contaminate exposed soil.

13

14

15

16

17 18

19

20

21 22 In addition, due to the known persistence if invasive plants in the Project area such as saltcedar, the use of herbicides would be implemented to prevent the regrowth of invasive plants as needed. This would assist the successful establishment of the native plants once the re-vegetation plan is implemented. There is potential to release herbicides into the created open backwater through accidental spills or overspray. Since the Project would operate as a restored wildlife and aquatic habitat, there would be no routine use of hazardous materials, other than during construction.

Although the Project phases would present a potential for spills, the impacts would be short-term and controlled by having an NPDES, SWPPP, and a WQMP in place. Preparation of an NPDES, SWPPP, and WQMP are regulatory requirements and would be obtained by Reclamation. Conditions and stipulations specific to the Project area would be adhered to.

In addition, although not routine once construction is completed, the transport, use, or disposal of hazardous materials described above during the Project phases could have a potentially significant impact to the public or the environment. However, implementation of **MM HHM-2** to contain potential leaks from heavy fuel based equipment and overspray from the application of herbicides, will reduce impacts to less than significant.

MM HHM-2: Toxic Substances Protections. To ensure toxic substances are not released into the aquatic environment, the following measures shall be followed:

- All engine-powered equipment shall be well-maintained and free of leaks of fuel, oil, hydraulic fluid or any other potential contaminant;
- Staging areas for refueling of equipment shall be located away from the backwater and away from the River to prevent any accidental fuel leakage from contaminating surface water;
- A spill prevention and response plan shall be prepared in advance of the commencement of work; a spill kit with appropriate clean-up supplies shall be kept on hand during operations.
 - The kit shall include a floating oil-absorbent sock that could be immediately deployed and maintained around the Project area in the event of a spill or any accidental leakage of fuel or hydraulic fluids;
 - Refueling and maintenance of mobile equipment shall not be performed directly over the waters of the River. Only approved and certified fuel cans with "no-spill" spring-loaded nozzles shall be used; and

23 24

25 26 27

28 29 30

> 31 32 33

3435

36

1 All spill cleanup materials or other liquid or solid wastes shall be 2 securely containerized and labeled in the field. 3 The application and control of herbicides and pesticides shall be in 4 accordance with the Toxic Substances Control Act (TSCA) and 5 Environmental Protection Agency Labeling requirements including but 6 not limited to: 7 Requiring a certified and trained applicator 8 Application of the material in accordance with its label 9 As discussed in Section 2.4, Phase 2 includes excavation of the open backwater. 10 This would be conducted by dry cutting so no turbidity issues would be anticipated during this work. After construction of the open backwater channel, 11 12 water would be released to flow through the created open backwater. Filling of 13 the open backwater is anticipated to create an environment of temporary 14 turbidity. Turbid environments are ideal for the targeted fish species. 15 c) Emit hazardous emissions or handle hazardous or acutely hazardous 16 materials, substances, or waste within one-quarter mile of an existing or 17 proposed school? 18 **No Impact.** There are no existing or proposed schools within one-quarter mile of 19 the proposed Project. Upon completion of the Project, site maintenance and 20 landscaping will require the use of ordinary types of hazardous materials such as 21 herbicides, but none of these would be used or stored on site in large enough quantities that would create a significant impact resulting in accidental release or 22 23 spill. 24 Based on maps produced by the CARB, the site is not located within a region 25 that is likely to contain serpentines or ultramafic rocks; therefore, the potential for 26 release of naturally occurring asbestos during construction activities is 27 considered to be low to non-existent. 28 d) Be located on a site which is included on a list of hazardous materials sites 29 compiled pursuant to Government Code section 65962.5 and, as a result, 30 would it create a significant hazard to the public or the environment? 31 **No Impact.** The Project site is not identified on the list of hazardous materials 32 sites compiled pursuant to Government Code section 65962.5. 33 e) For a project located within an airport land use plan or, where such a plan 34 has not been adopted, within two miles of a public airport or public use 35 airport, would the project result in a safety hazard for people residing or 36 working in the project area?

- No Impact. As shown on San Bernardino County General Plan, Hazards Overlay Regional Map EKFKB (Southeast portion of the County), the Project site is not located within an airport influence area (SBC 2010). The Project would not result in safety hazard impacts from aircraft-related uses.
 - f) For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing or working in the project area?
 - **No Impact.** The Project area would not be within the vicinity or approach/departure flight path of a private airstrip. No impact is anticipated.
 - g) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?
 - **No Impact.** Activities associated with the Project would not impede existing emergency response plans for the Project area and/or other land uses in the vicinity. All construction vehicles and stationary construction equipment would be staged off the internal roadway system and would not block emergency access routes during construction. The Project would not alter the roadway system that provides access to the larger Park area and would not impair implementation of, or physically interfere with, an adopted emergency response plan or emergency evacuation plan.
 - h) Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?
- No Impact. As shown on San Bernardino County General Plan, Hazards Overlay Regional Map EKFKB (Southeast portion of the County), the Project site is not located within a Fire Safety Overlay District (SBC 2010). The Project would not result in any safety hazard impacts from wild fires.
- 26 3.8.4 Environmental Consequences (NEPA)
- 27 No Action Alternative
- 28 The No Action Alternative would have no impacts related to Hazards and Hazardous
- 29 Materials/Human Health and Safety. The Project area would remain at its current
- 30 condition where the potential of spills and leaks of fuel from the use of OHV would
- 31 remain the same. There are no hazardous materials or contaminants in the Project
- 32 area.

33

5

6

7

8

9

10

11

12

13 14

15

16 17

18

19

20

- Proposed Action (Project)
- 34 The Project would use fuel based construction equipment during removal/clearing,
- 35 construction, maintenance, and operational activities, as well as the use of herbicides to
- 36 control the re-growth of invasive plants during the all phases of the Project, which may
- 37 lead to the potential for spills, leaks, and overspray of chemicals. To further reduce the

- 1 risk to the health and safety of the public, MM HHM-2 and conditions and stipulations
- 2 required under the NPDES, SWPPP, and WQMP prepared for the Project to address
- 3 soil erosion and spills would be implemented to ensure control measures and
- 4 monitoring are in place to minimize risk of discharge and pollution to the created
- 5 backwater and the River located to the east of the Project area.
- 6 The use of the heavy fuel based equipment would be used during only Phases 1
- 7 through 2 and the potential of spills and leaks would be considered short-term. In
- 8 addition, herbicides for the control of invasive plant re-growth would be used as needed
- 9 and would be applied in accordance with the manufacturer label (MM HHM-2).
- 10 Although no known hazardous material or contaminants are present and the Project
- area outside of any identified CERCLA APE, **MM HHM-1** would be incorporated into the
- 12 Project to provide assurance discovered contaminants would be handled appropriately.

13 **Cumulative Impacts**

- 14 The analysis area for potential cumulative impacts related to hazards and hazardous
- 15 materials was defined as the Project area because no potential impacts are anticipated
- 16 outside of the Project area. No cumulative impacts are anticipated because impacts
- 17 identified related to the Project would be short-term and the implementation of mitigation
- 18 measures would be implemented to prevent or minimize impacts relating to hazards and
- 19 hazardous materials.

20 **3.8.5 Mitigation Summary (CEQA Only)**

- 21 Implementation of the following mitigation measures would reduce the potential for
- 22 Project-related impacts to Hazards/Hazardous Materials/Human Health and Safety to
- 23 less than significant:
- MM HHM-1: Discovered Contaminants Protections
- MM HHM-2: Toxic Substances Protections